

# 3M™ Speedglas™ 9100XXi Auto Darkening Filter 06-0000-30i, Shades 5, 8-13, 1 EA/Case

UPC #: 00051141564739, 3M Catalog #: 06-0000-30i, 3M Stock #: 7010342472,  
Previous 3M Stock #: 70071688546,  
Your Catalog #: MMM 051141-56473 | Manage



Standard | **In Stock: 96 Each**

Est. Lead Time: 2 Working Days

- Delivers minimal distortion across the entire filter viewing area
- Includes proven arc detection electronics
- Features grinding and cutting modes
- Selectable Shades 5, 8-13
- Helps reduce eye strain

## Specifications

\* Smallest Saleable Unit

### Details

ADF Dark State Shades	Variable 5, 8-13
ADF Model	9100XXi
ADF Shade Range	Variable 5, 8-13
ADF Viewing Area (hxw)	2.8x4.2in
ADF Viewing Area (Metric)	73X107 mm
Auto On	Yes
Battery Life	ADF: up to 1800 Hours
Battery Type	ADF: CR2032
Brand	Speedglas™
Case Quantity	1
Compatible Welding Helmet	9000 Series
Dark Shades	Shade 5, 8-13
Lens Shade	5, 8 - 13

<b>Lens Type</b>	Auto-darkening
<b>Light State</b>	Shade 3
<b>Number of Sensors</b>	3
<b>Product Code</b>	06-0000-30i
<b>Product Series</b>	9100XXi
<b>Product Type</b>	Auto-darkening Filter
<b>Recommended Application</b>	Welding Facility Maintenance Grinding Assembly Sanding Machine Operation
<b>Recommended Industry</b>	Industrial Maintenance Construction Heavy Infrastructure
<b>Sensitivity</b>	5 Level (TIG>1A & MIG/MAG, Stick)
<b>Shape</b>	Flat
<b>Smallest Saleable Unit*</b>	Case
<b>Specifications Met</b>	ANSI Z87.1-2010
<b>Switching Time</b>	0.1 ms
<b>Viewing Area (Imperial)</b>	2.8 in x 4.2 in
<b>Viewing Area (Metric)</b>	73 mm x 107 mm
<b>Welding</b>	Yes
<b>Welding Process</b>	Grinding

## Dimensions and Classifications

<b>Case Gross Weight*</b>	0.679 US pound
<b>Case Height*</b>	1.5 Inch
<b>Case Length*</b>	6.9 Inch
<b>Case Width*</b>	5.7 Inch
<b>Each Gross Weight</b>	0.679 US pound
<b>Pallet Gross Weight</b>	983 US pound
<b>Pallet Height</b>	46.9 Inch
<b>Pallet Length</b>	48 Inch
<b>Pallet Width</b>	42 Inch
<b>ECCN</b>	1A995
<b>Harmonized Code</b>	9013809100

## Packaging and Identifications

Primary Shipping Location	DeKalb, Illinois
Country of Origin	Sweden
Country of Origin Disclaimer	This is to advise you that as of this date, the Country of Origin for the product(s) displayed is as follows. This origin is for purposes of Normal Trade Relations (NTR) duty treatment, is for import/export documentation only, and is not intended to be used for any other purpose such as sales to government entities or Free Trade Agreement eligibility. Government procurement laws and Free Trade Agreements require application of specific criteria that may result in a different Country of Origin than indicated. These determinations are specific to 3M ID.
UPC/EAN - Billing (Each)	00051141564739
UPC/EAN – Shipper (Case)*	00051141564739
per Case*	1 Each
per Pallet	1400 Each

## Transportation

Transport Protective Service	PROTECTIVE SERVICE NOT REQUIRED
NMFC Item	086700
NMFC Sub	15
NMFC Class	077.5
Flash Point	No Flash Point
United States Department of Transportation - Ground (US DOT, 49 CFR)	NOT RESTRICTED, AS PER 49CFR 173.185 (c), LITHIUM METAL BATTERIES OR CELLS CONTAINED IN EQUIPMENT
United States Department of Transportation - Vessel (US DOT, 49 CFR)	NOT RESTRICTED, AS PER 49CFR 173.185 (c), LITHIUM METAL BATTERIES OR CELLS CONTAINED IN EQUIPMENT
International Air Transport Association (IATA)	LITHIUM METAL BATTERIES IN COMPLIANCE WITH SECTION II OF PI 970 - BUTTON CELLS, NO MARK REQUIRED
International Maritime Organization (IMO)	NOT RESTRICTED, AS PER SP 188, LITHIUM METAL BUTTON CELLS CONTAINED IN EQUIPMENT - NO MARK REQUIRED

**Transportation Disclaimer**  
These transportation classifications are provided as a customer service. AS THE SHIPPER YOU REMAIN RESPONSIBLE FOR COMPLYING WITH ALL THE APPLICABLE LAWS AND REGULATIONS, INCLUDING PROPER TRANSPORTATION CLASSIFICATION AND PACKAGING. 3M's

transportation classifications are based on product formulations, packaging, 3M policies and 3M's understanding of applicable current regulations and is valid for the original 3M package only. 3M does not guarantee the accuracy of this classification information. This information applies only to transportation classification and NOT THE PACKAGING, LABELING OR MARKING REQUIREMENTS. The original 3M package is certified for U.S. ground shipment only. If you are shipping by air or ocean, the package may not meet applicable regulatory requirements.

---

<b>Air Shipping Available</b>	Yes
<b>Dry Ice Shipping Required</b>	No

---

---

## Details

- Delivers minimal distortion across the entire filter viewing area
- Includes proven arc detection electronics
- Features grinding and cutting modes
- Selectable Shades 5, 8-13
- Helps reduce eye strain

3M™ Speedglas™ 9100 Series Auto-Darkening Welding Filters continue the tradition of outstanding 3M™ ADF optical quality, including uniform shading and minimal distortion across the entire filter viewing area. With a range of settings available, the user can select the right mode for each task. This helps reduce eye strain and improve the quality of every weld.

3M™ Speedglas™ 9100 Series Auto-Darkening Welding Filters are designed for the professional welder. Incorporating dark shade ranges 5, 8-13, grinding, and cutting modes, these filters are ideal for use with most arc welding processes.