

JOBBER DRILL SETS



General Purpose Jobber Length Sets

C15R10P Bright Finish improves chip flow in
C29R10P soft or non-ferrous materials



C15R10 Steam tempered reduces wear
C29R10 and chip welding in harder ferrous materials.



C15R10P C29R10P	C15R10 C29R10
ANSI	ANSI
4XD	4XD
HSS	HSS
118°	118°
Set	Set

Set	Style	Pieces per Set	Sizes	Pack Qty	R10P Sets	R10 Sets
C15R10	R10	15	1/16 - 1/2 x 32nds	1	—	5995533
C29R10	R10	29	1/16 - 1/2 x 64ths	1	—	5995628
C15R10P	R10P	15	1/16-1/2 x 32nds	1	5995528	—
C29R10P	R10P	29	1/16 - 1/2 x 64ths	1	5995624	—

General Purpose Jobber Length Sets

A097 Self centering Split Point, low thrust design. TiN Coated Tip increases surface hardness and improves tool life.



C20R18P Bright Finish improves chip flow in
C60R18P soft or non-ferrous materials



C20R18 Steam tempered for increased
C60R18 wear resistance & lubricity.



A097	C20R18 C60R18	C20R18P C60R18P
Set	Set	Set

Set	Style	Pieces per Set	Sizes	Pack Qty	A097	R18 sets	R18P sets
12	A012	60	Nr.1 - Nr.60	1	5967709	—	—
14	A012	26	A - Z	1	5967714	—	—
18	A012	29	1/16 - 1/2 x 1/64	1	5967571	—	—
20	A012	15	1/16 - 1/2 x 1/32	1	5967576	—	—
30	A012	115	1/16 - 1/2 x 1/64, Nr.1 - Nr.60, A-Z	1	5967581	—	—
60	A012	13	1/16 - 1/4 x 1/64	1	5967586	—	—
C20R18	R18	20	N61 - N80	1	—	5995552	—
C60R18	R18	60	N1 - N60	1	—	5995674	—
C20R18P	R18P	20	N61 - N80	1	—	—	5995547
C60R18P	R18P	60	N1 - N60	1	—	—	5995672

JOBBER DRILL SETS



General Purpose Jobber Length and Combination Sets

C26R15P

Bright Finish improves chip flow in soft or non-ferrous materials



C26R15


Steam tempered for increased wear resistance & lubricity.



C114COMBP

C115COMBP

Bright Finish improves chip flow in soft or non-ferrous materials




C26R15P	C26R15	C115COMBP	C114COMBP
ANSI	ANSI	ANSI	ANSI
4XD	4XD	4XD	4XD
HSS	HSS	HSS	HSS
118°	118°	118°	118°
Set	Set	Set	Set

Set	Style	Pieces per Set	Sizes	Pack Qty	C26R15P	C26R15	C115COMBP	C114COMBP
C114COMBP	R10P, R18P, 2A	114	1/16-1/2 x 64ths, N1-N60, 1-13mm x 5 mm	1	—	—	—	5995643
C115COMBP	R10P, R18P, R15P	115	1/16-1/2 x 64ths, N1-6N0, A-Z	1	—	—	5995681	—
C26R15	R15	26	A - Z	1	—	5995597	—	—
C26R15P	R15P	26	A - Z	1	5995593	—	—	—

General Purpose Jobber Length Combination Sets

C114COMB Steam tempered for increased wear resistance & lubricity.
C115COMB



C114COMB	C115COMB
ANSI	ANSI
4XD	4XD
HSS	HSS
118°	118°
Set	Set

Set	Style	Pieces per Set	Sizes	Pack Qty	C114COMB	C115COMB
C114COMB	R10, R18, 2AB	114	1/16-1/2 x 64ths, N1-N60, 1-13mm x .5 mm	1	5995676	—
C115COMB	R10, R18, R15	115	1/16-1/2 x 64ths, N1-N60, A-Z	1	—	5995683