# 3M<sup>™</sup> Adflo<sup>™</sup> PAPR and Versaflo<sup>™</sup> M-Series Helmet Kit w Speedglas<sup>™</sup> Welding Shield, 38-1101-00SW, Li Ion Battery, (No ADF) 1 EA/CASE

UPC #: 00076308943899, 3M Catalog #: 38-1101-00SW, 3M Stock #: 7100200577, Previous 3M Stock #: 70071735586, Your Catalog #: Manage



Make To Order Est. Lead Time: 60 Working Days

- PAPR includes a blower unit, breathing tube, flow indicator, spark arrestor, belt, filters, filter cover, lithium ion battery, and charger
- Versaflo™ M-Series Helmet has a tough leather shroud to help protect welding arc, sparks and spatter
- Selectable Shades 5, 8-13 and Shade 3 light state
- Wide, transparent faceshield for a clear view
- Hard headcover helps protect against falling objects and flying debris
- Recommended for heavy industrial, metal fabrication, metal production, and fabrication industries
- Applications include arc gouging, plasma cutting, grinding, MIG, TIG, and GMAW welding
- Option to buy protection headgear with or without Speedglas™ Welding ADF

# **Specifications**

\* Smallest Saleable Unit

#### Details

ADF Model

Air Source	PAPR
Brand	Adflo™
Comes with Auto-Darkening Filter (ADF)	No
eClass 14 Classification Group	34241126
Features	Dual Face Protection Head Protection Eye & Face Protection
Grinding Option	Flip-up with Clear Visor
Headgear Type	Hardhat with Faceshield and Welding Shield
Includes	3M™ Adflo™ PAPR, Versaflo™ M-Series Helmet Kit, Speedglas™ Weld Shield, Li Ion Battery
Lens Type	No Lens
Material	Leather
Product Color	Black
Product Series	Adflo
Product Type	Welding Respiratory Systems
Recommended Application	Welding
Recommended Industry	Heavy Industrial Metal Production & Fabrication Metal Fabrication
Side Windows	Yes
Smallest Saleable Unit*	Case
Specifications Met	ANSI Z89.1 Type I, Class G
Visor Type	Clear

#### **Dimensions and Classifications**

Case Gross Weight*	13.54 US pound
Case Height*	11.3 Inch
Case Length*	21.8 Inch
Case Width*	12.6 Inch
Each Gross Weight	13.54 US pound
Pallet Gross Weight	522 US pound
Pallet Height	49.9 Inch
Pallet Length	48 Inch
Pallet Width	42 Inch
ECCN	1A995
Harmonized Code	9020006000

Primary Shipping Location	VALLEY, Nebraska
Country of Origin	Poland
Country of Origin Disclaimer	This is to advise you that as of this date, the Country of Origin for the product(s) displayed is as follows. This origin is for purposes of Normal Trade Relations (NTR) duty treatment, is for import/export documentation only, and is not intended to be used for any other purpose such as sales to government entities or Free Trade Agreement eligibility. Government procurement laws and Free Trade Agreements require application of specific criteria that may result in a different Country of Origin than indicated. These determinations are specific to 3M ID.
UPC/EAN - Billing (Case)*	00076308943899
UPC/EAN – Shipper (Case)*	00076308943899
per Case*	1 Each
per Pallet	36 Each

### Transportation

Transport Protective Service	PROTECTIVE SERVICE NOT REQUIRED
NMFC Item	061700
NMFC Sub	05
NMFC Class	125.0
Flash Point	No Flash Point
United States Department of Transportation - Ground (US DOT, 49 CFR)	NOT RESTRICTED, AS PER 49CFR 173.185 (c), LITHIUM ION BATTERIES OR CELLS PACKED WITH EQUIPMENT
United States Department of Transportation - Vessel (US DOT, 49 CFR)	NOT RESTRICTED, AS PER 49CFR 173.185 (c), LITHIUM ION BATTERIES OR CELLS PACKED WITH EQUIPMENT
International Air Transport Association (IATA)	LITHIUM ION BATTERIES IN COMPLIANCE WITH SECTION II OF PI 966
International Maritime Organization (IMO)	NOT RESTRICTED, AS PER SPECIAL PROVISION 188, LITHIUM ION BATTERIES OR CELLS PACKED WITH EQUIPMENT
Transportation Disclaimer	These transportation classifications are provided as a customer service. AS THE SHIPPER YOU REMAIN RESPONSIBLE FOR COMPLYING WITH ALL THE APPLICABLE LAWS AND REGULATIONS, INCLUDING PROPER TRANSPORTATION CLASSIFICATION AND PACKAGING. 3M's transportation classifications are based on product

	formulations, packaging, 3M policies and 3M's understanding of applicable current regulations and is valid for the original 3M package only. 3M does not guarantee the accuracy of this classification information. This information applies only to transportation classification and NOT THE PACKAGING, LABELING OR MARKING REQUIREMENTS. The original 3M package is certified for U.S. ground shipment only. If you are shipping by air or ocean, the package may not meet applicable regulatory requirements.
Air Shipping Available	Yes
Dry Ice Shipping Required	No

# **Details**

- PAPR includes a blower unit, breathing tube, flow indicator, spark arrestor, belt, filters, filter cover, lithium ion battery, and charger
- Versaflo™ M-Series Helmet has a tough leather shroud to help protect welding arc, sparks and spatter
- Selectable Shades 5, 8-13 and Shade 3 light state
- Wide, transparent faceshield for a clear view
- Hard headcover helps protect against falling objects and flying debris
- Recommended for heavy industrial, metal fabrication, metal production, and fabrication industries
- Applications include arc gouging, plasma cutting, grinding, MIG, TIG, and GMAW welding
- Option to buy protection headgear with or without Speedglas™ Welding ADF

3M<sup>™</sup> Adflo<sup>™</sup> PAPR and Versaflo<sup>™</sup> M-Series Helmet Kit with Speedglas<sup>™</sup> Weld Shield includes a hard hat with visor and a flip-up weld shield, which can help protect the face from sparks and spatter, and the eyes from intense light during MIG, TIG and stick welding. The Auto-Darkening Lens is essential PPE for skilled pros who need precision optics. Side windows in the welding helmet give each welder a wider viewing field to see more of their work area.

Respiratory protection 3M<sup>™</sup> Adflo<sup>™</sup> Powered Air Purifying Respirator System with a Versaflo<sup>™</sup> M-Series Helmet and Speedglas<sup>™</sup> Welding Shield Upgrade Kit includes particulate filters, a lithium ion battery, and a spark arrestor. A wide, clear faceshield helps protect the face and eyes against welding arc, sparks and spatter. The hard hat stands up to tough jobs involving flying debris; including grinding, and TIG, MIG/MAG, and stick welding. Auto-Darkening Lens darkens milliseconds after welding begins, ensuring that eyes are protected throughout the operation. Flip-up weld shield The flip-up 9100 welding shield allows for quick transition between welding and non-welding tasks.