Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Section 1	CHEMICAL PRODUCT SECTION
1.1 Identification:	Product Name:Plastic & Glass CleanerProduct Number:8670CAS#Mixture (see section 3)
1.2 Product description: Product type: Application:	Foaming cleaner for glass and plastic aerosol Industrial applications
1.3 Manufacturer : Email of responsible party for S.	ACL Incorporated 840 W 49 th Place Chicago, Il 60609 PH: (01) 847.981.9212 [U.S.A.] FAX: (01) 847.981.9278 [U.S.A.]
Email of responsible party for si	DS. marykay@acistaticide.com
1.4 Emergency telephone : US/Canada Emergency TEL: International Emergency TEL:	INFOTRAC: (01) 800.535.5053 (day or night) INFOTRAC: 352.323.3500 (day or night)
Section 2 HAZ	ARDOUS IDENTIFICATION
GHS-US classification	ace or mixture lation (EC) No. 1272/2008 [CLP/GHS] & (US) OSHA HCS 2012:
HUMAN HEALTH HAZARDS: No ENVIRONMENTAL HAZARDS: No	t classified
See Section 11 for more detailed	information on health effects and symptoms.
2.2 Label elements	

Hazard pictograms: Not required

Signal Word: Warning

Hazard statements: Pressurized container; may burst when heated (H229)

Precautionary s	tatements			
General:	P101: If medical advice is needed, have container or label at hand			
	P102: Keep out of reach of children			
	P103: Read label before use			
Prevention:	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.No smoking.P251: Do not pierce or burn, even after use.			

2.3 Other Hazard: Causes mild skin irritation. May cause slight eye irritation. Prolonged or repeated contact may dry skin and cause irritation. Harmful to aquatic life with long lasting effects. Use of alcoholic beverages may enhance toxic effects.

Section 3 COMPOSITION / INFORMATION ON INGREDIENTS	
--	--

3.1 Substances: Mixture

CHEMICAL	CAS	RISK CLASSIFICATION	Weight %
Water	7732-18-5	Not classified	Balance
Sodium Xylenesulfonate	1300-72-7	Eye irritation (Cat 2A) H319	1 -5
Alkyl Polyglucoside	68515-73-1	Skin irritation (Category 2), H315	1-5
		Serious eye damage (Category 1), H318	
Sodium Lauryl Sulfate	151-21-3	Acute toxicity, Oral (Category 4), H302	1 - 5
		Skin irritation (Category 2), H315	
		Serious eye damage (Category 1), H318	
		Short-term (acute) aquatic hazard	
		(Category 3), H402 Long-term (chronic)	
		aquatic hazard (Category 3), H412	
Propane	74-98-6	Flammable gases (Cat 1), H220;	<2
		Gases under pressure (Liquefied gas),	
		H280 Simple Asphyxiant,	
Isobutane	75-28-5	Flammable gases (Cat 1), H220;	< 1
n-Butane	106-97-8	Flammable gases (Cat 1), H220;	<1
Fragrance		Below reportable values	<<1

FIRST AID MEASURES

4.1.1 General Information

Section 4

4.1.2 Inhalation Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, (trained personnel should) give oxygen.

4.1.3 Skin: In case of contact with liquefied gas, thaw frosted parts with lukewarm water. Wash with soap and water.

4.1.4 Eyes: Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician

4.1.5 Ingestion Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a physician.

4.1.6 Self-protection of the first aider: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

4.2 Most important symptoms and effects, both acute and delayed: Potential acute health effects No data available. Over-exposure signs/symptoms No data available.

4.3: Indication of any immediate medical attention and special treatment needed: No data available.

Section 5

FIRE FIGHTING MEASURES

5.1 Extinguishing Media:

Dry chemical. Carbon dioxide (CO2).

5.2 Specific hazards arising from substance or mixture: Ruptured cylinders may rocket. Some may burn but none ignite readily.

Uniform Fire Code Aerosols: Level 1 Hazardous Combustion Products: carbon oxides <u>Explosion Data</u> Sensitivity to Mechanical Impact: No Sensitivity to Static Discharge: No

5.3 Advice from fire fighters: Move containers from fire area if you can do it without risk. Damaged cylinders should be handled only by specialists.

Section 6

ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures Personal Precautions: Use personal protective equipment as required For non-emergency personnel: Stop leak if you can do it without risk. For emergency responders: Ventilate the area.

6.2 Environmental precautions Prevent entry into waterways, sewers, basements or confined areas.

6.3 Methods and material or containment and cleaning up

6.3.1 For containment: If possible, turn leaking containers so that gas escapes rather than liquid. Allow substance to evaporate.

6.3.2 For cleaning up: Do not direct water at spill or source of leak.

6.3.3 Other information: Keep away from heat. Keep away from sources of ignition.

6.4 Reference to other sections: For personal protection, see Section 8

Section 7 HANDLING AND STORAGE

7.1 Precautions for safe handling:

Handle in accordance with good industrial hygiene and safety practice. Do not puncture or incinerate cans. Contents under pressure. Avoid breathing vapors or mists. Avoid contact with eyes.

7.2 Conditions for safe storage including incompatibilities:

Storage Conditions: Ambient ($40^{\circ} - 90^{\circ}$ F) Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight.

Incompatible Materials: None known based on information supplied.

7.3 Specific end use(s)

Recommendations: To clean plastic and glass industrial surfaces Industrial sector specific solutions: Unknown

Section 8

EXPOSURE CONTROL / PERSONAL PROTECTION

8.1 Control parameters

	OSHA PEL		ACGIH TLV		NIOSH IDLH		
Chemical Name	ppm	Mg/m ³	ppm	Mg/m ³	ppm	Mg/m ³	IDLH
Butane	(vacated)	(vacated)	STEL:		TWA	TWA	2100

106-97-8	TWA: 800	TWA: 1900	1000		800	1900	ppm
Propane	TWA : 1000	TWA : 1800	TWA : 1000	TWA : 1800	TWA 1000	TWA 1800	
74-98-6							

Other Exposure Guidelines: Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters.

8.2 Exposure controls: Use good hygiene practices in handling this material.

8.2.1 Appropriate engineering controls Provide local and general exhaust ventilation to effectively remove and prevent buildup of any vapors or mists generated from the handling of this product.

8.2.2 *Personal protective equipment* No respirator required in well ventilated areas. Use NIOSH approved respiratory protection when necessary. High airborne concentrations may necessitate the use of self-contained breathing apparatus (SCBA). *8.2.2.1 Eye and face protection:* No special protective equipment required.

8.2.2.1 Eye and face protection: No special protective equipment red **8.2.2.2** Skin protection No special protective equipment required.

8.2.2.3 Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

8.2.2.4 Thermal hazards : None

Section 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Aerosol can / Liquid foam spray
Odor	Fresh
рН	7
Melting point/freezing point	NE / NE
Initial boiling point and boiling range	NE
Flash point and method	NE
Evaporation rate	NE
Flammability (solid, gas, liquid)	NA
Upper/lower flammability or explosive limits	NE
Vapor pressure	NE
Vapor density (air=1)	NE
Relative density	NE
Solubility(ies).	Miscible
Partition coefficient: n-octanol/water	NE
Autoignition temperature	NA
Decomposition temperature	NE
Viscosity	NE
Volatile by weight	NE
VOC Content	4 %

Section 10

10.1 Reactivity: Stable under recommended storage conditions

10.2 Chemical stability Stable under recommended storage conditions

10.3 Possibility of hazardous reactions: Under normal conditions of storage and use, will not occur

10.4 Conditions to avoid: Keep away from heat, flames, and sparks.

10.5 Incompatible materials: Unknown

10.6 Hazardous decomposition products: Carbon oxides

Section 11

TOXICOLOGY INFORMATION

STABILITY AND REACTIVITY

11.1 Information on toxicological effects

<u>Acute toxicity</u> Product does not present an acute toxicity hazard based on known or supplied information

Likely routes of exposure

Inhalation: Specific test data for the substance or mixture is not available. Eye contact: Specific test data for the substance or mixture is not available. Skin contact: Specific test data for the substance or mixture is not available. Ingestion: Specific test data for the substance or mixture is not available.

Product/ingredient name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Xylene Sulfonate (1300-72-7)	= 1000 mg/kg (Rat)		
Alkyl Polyglucoside (68515-73-1)	> 5000 mg/kg (Rat)		
Sodium Lauryl Sulfate (151-21-3)	= 1288 mg/kg (Rat) > 2000 mg/kg (Rat) = 1783 mg/kg (Rat)	= 2000 mg/kg (Rabbit)	> 3900 mg/kg3 (Rat) 1 h
Butane (106-97-8)			= 658 g/m3 (Rat) 4 h
Propane (74-96-8)			= 658 mg/L (Rat) 4 h

Conclusion/Summary: Not available

Irritation/Corrosion

Conclusion/Summary: Not available

Sensitization Conclusion/Summary: Not available. <u>Mutagenicity</u> Conclusion/Summary: Not available. <u>Carcinogenicity</u> Not available. <u>Reproductive toxicity</u> Conclusion/Summary: Not available. <u>Teratogenicity</u> Conclusion/Summary: Not available. Specific target organ toxicity (single exposure) Not available.

Specific target organ toxicity (repeated exposure): Not available. Aspiration hazard: Not available. Information on the likely routes of exposure: Not available.

Delayed and immediate effects and also chronic effects from short and long term exposure Short term exposure Potential immediate effects: Not available. Potential delayed effects: Not available. Long term exposure Potential immediate effects: Not available. Potential delayed effects: Not available. Potential chronic health effects: Not available. Conclusion/Summary: Not available. General: No known significant effects or critical hazards. **Carcinogenicity:** No known significant effects or critical hazards. Mutagenicity: No known significant effects or critical hazards. Teratogenicity: No known significant effects or critical hazards. Developmental effects: No known significant effects or critical hazards. Fertility effects: No known significant effects or critical hazards. Other information: No known significant effects or critical hazards.

Section 12

ECOLOGICAL INFORMATION

12.1 Toxicity

Product/ingredient name	Algae/aquatic plants	Fish	Crustacea
Alkyl Polyglucoside		170: 96 h Danio rerio mg/L	
(68515-73-1)		LC50 semi-static	
Sodium Lauryl Sulfate	3.59 - 15.6: 96 h	10.2 - 22.5: 96 h	1.8: 48 h Daphnia
(151-21-3)	Pseudokirchneriella	Pimephales promelas	magna mg/L EC50
	Subcapitata mg/L EC50 static	mg/L LC50 semistatic	
	30 - 100: 96 h	10.8 - 16.6: 96 h	
	Desmodesmus	Poecilia reticulata	
	subspicatus mg/L EC50	mg/L LC50 static	
	117: 96 h	13.5 - 18.3: 96 h	
	Pseudokirchneriella	Poecilia reticulata	
	subcapitata mg/L EC50	mg/L LC50 semi-static	
	38: 96 h	15 - 18.9: 96 h	
	Desmodesmus subspicatus	Pimephales promelas	
	mg/L EC50 42: 96 h	mg/L LC50 static	
	Desmodesmus subspicatus	22.1 - 22.8: 96 h	
	mg/L EC50 53: 72 h	Pimephales promelas	
	Desmodesmus subspicatus	mg/L LC50 static	
	mg/L EC50	4.06 - 5.75: 96 h	
		Lepomis macrochirus	
		mg/L LC50 static	
		4.2 - 4.8: 96 h	
		Lepomis macrochirus	
		mg/L LC50 flow-through	
		4.3 - 8.5: 96 h	
		Oncorhynchus mykiss	
		mg/L LC50 static 5.8 - 7.5:	
		96 h	
		Pimephales promelas	
		mg/L LC50 static	
		6.2 - 9.6: 96 h	
		Pimephales promelas mg/L LC50	
		8 - 12.5: 96 h	
		Pimephales promelas	
		mg/L LC50 static	
		9.9 - 20.1: 96 h	
		Brachydanio rerio	
		mg/L LC50 semi-static	
		1.31: 96 h	
		Cyprinus carpio	
		mg/L LC50 semi-static	
		4.2: 96 h	
		Oncorhynchus mykiss	
		mg/L LC50	
		4.5: 96 h	
		Lepomis macrochirus	
		mg/L LC50 4.62: 96 h	
		Oncorhynchus mykiss	
		mg/L LC50 flow-through	
		7.97: 96 h	
		Brachydanio rerio mg/L	
		LC50 flow-through	

12.2 Persistence and degradability: Conclusion/Summary : Not available.

12.3 Bioaccumulative potential

Product/ingredient name	Partition coefficient	
Sodium Lauryl Sulfate (151-21-3)	1.6	

12.4 Mobility in soil

Soil/water partition coefficient (Koc): Not available. Mobility: Not available.

12.5 Results of PBT and vPvB assessment: Not available.

12.6 Other adverse effects: No known significant effects or critical hazards.

Section 13 DISPOSAL CONSIDERATIONS

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s). 13.1 Waste treatment methods

13.1.1 Product / Packing Disposal

Product

Methods of disposal: Do not puncture, incinerate or compact aerosol can. When contents are depleted continue to depress button until all gas is expelled.

Hazardous waste: As packaged and after use, it does not meet the criteria of a hazardous waste as defied under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it has neither the characteristics of Subpart C nor is listed in Subpart D.

Contaminated Packaging

Methods of disposal: Dispose of as unused product. Waste packaging should be recycled.

13.1.2 Waste treatment-relevant information: Incineration or landfill should only be considered when recycling is not feasible. Handle empty containers with care because residual vapours are flammable

13.1.3 Sewage disposal-relevant information: Avoid release to the environment

13.1.4 Other disposal recommendations: Federal, State, and Local laws governing disposal of material can differ. Ensure proper disposal compliance with proper authorities before disposal.

	Section	14 TRA	NSPORTA	TION INFO	DRMATION
		Proper Shipping Name	Hazard Class	UN number	NOTE
US D	от	AEROSOLS, non-flammable	2.2	UN1950	Limited Quantity (Shipping Papers are not required for Limited Quantities unless transported by air or vessel –each package must be marked with the Limited Quantity Mark)
US DO	T Air	AEROSOLS, non-flammable	2.2	UN1950	Non-flammable Gas label required Limited Quantity: Y203
IAT	A	AEROSOLS, non-flammable,	2.2	UN1950	Non-flammable Gas label required Limited Quantity: Y203
IMD	G	AEROSOLS, non-flammable,	2.2	UN1950	Limited Quantity

Section 15

REGULATORY INFORMATION

United States Federal Regulations: MSDS complies with the OSHA Hazard Communication Rule, 29 CFR 1910.1200.

SARA Superfund and Reauthorization Act of 1986 Title III sections 302, 311,312 and 313: CERCLA/Superfund, 40 CFR 117, 302: no requirements

SDS# 8670 Rev date: March 14, 2022

Section 302 – None

CHEMICAL	CAS	%	Section 311 /312
Sodium Xylenesulfonate	1300-72-7	1 -5	Acute Health Hazard

Section 313 – List of Toxic Chemicals (40CFC 372): This product does not contain chemicals (at level of 1% or greater) which are found on the 313 list of Toxic Chemicals.

Toxic Substance Control Act (TSCA): All substances are TSCA listed.

Resource Conservation and Recovery Act (RCRA 40 CFR 261) Subpart C & D: Refer to Section 13 Federal Water Pollution Control Act, Clean Water Act, 40 CFR 401.15 (formerly section 307) 40 CFR 116 (formerly section 311): This product does not contain listed chemicals

STATE REGULATIONS:

This SDS contains specific health and safety data is applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

California Proposition 65: This	ha Proposition 65: This product does not contain substances on the prop 65 list.		
CHEMICAL	CAS	%	State Right-To-Know
Sodium Xylenesulfonate	1300-72-7	1 -5	PA, NJ

INTERNATIONAL REGULATIONS:

Canada WHMIS: This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR. All substances are listed on the public Portion of the Domestic Substances List (DSL).

REACH: This product does not contain substances listed on the Substances of Very High Concern (SvHC).

Sections 16

OTHER INFORMATION

HMIS HAZARD RATING:

HMIS Health: Slight Hazard. Irritation or minor reversible injury possible. HMIS Flammability: Must be preheated for ignition to occur HMIS Reactivity: Minimal Hazard. Stable HMIS Personal Protection: B. Safety glasses and protective gloves should be worn when handling this material.

1	HEALTH	
1	FLAMMABILITY	
0	REACTIVITY	
В	PROTECTIVE EQUIPMENT	

REVISION DATES, SECTIONS, REVISED BY:

- 19-Aug-13 Original Preparer: Steve Allen
- 02-Oct-13 Review, mkb
- 10-Jan-14 Change name and part #, mkb
- 28-Oct-14 Revised section 2, mkb
- 30-Nov-15 Revised section 2 and 14, mkb
- 12-Feb-18 Section 2 updated GHS classifications, mkb
- 14-MAR-22 All sections revised, mkb

ABBREVIATIONS USED IN THIS DOCUMENT:

NE – Not Established, NA – Not Applicable, NIF – No Information Found, ND – Not Determined

ABRIDGED LIST OF REFERENCES:

Code of Federal Regulations (CFR) The Sigma-Aldrich Library of Regulatory and Safety Data Chemical Guide and OSHA Hazardous Communication Standard The Environmental Protection Agency (www.epa.gov) http://oehha.ca.gov/prop65/prop65_list http://orise.orau.gov/emi/hazards-assessment/files/resources/epa-title3.pdf

To the best of our knowledge, the information contained herein is accurate. **However, neither ACL STATICIDE nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.** Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.