

# **DALO**<sup>®</sup> Marker

# Industrial Steel Ball Tip Paint Marker

#### **DIRECTIONS**

- To start flow press rubber bulb to pressurize
- Depress ball tip to start flow
- Wipe tip clean before storing

#### **FEATURES**

- Heavy duty, industrial paint marker that writes on almost any surface
- Writes through oil and grease without losing legibility or brightness.
- Makes permanent bright marks on metal, rubber, plastic, glass, concrete, leather, stone, wood, vinyl and more.
- Marks in extreme weather and temperature conditions, even writes under water and on rusty surfaces.
- Ergonomically correct marker that enables you to mark at all angles, even upside down.
- Markers can be used to permanently identify inventory, assemblies, tools, work in progress or finished products while resisting most work related abuses or compounds.
- Heavy duty aluminum body with large paint capacity.
- Paint flow is controlled by the pressure bulb at the end of the barrel.
- Stainless steel ball tips won't wear out on rough or rusty surfaces.



- •
- Safe on most surfaces.
- Removable with DYKEM® Remover & Cleaner.
- Surface tests should be run to determine compatibility prior to use.

#### **HEALTH AND SAFETY**

- Combustible liquid and vapor. Keep away from heat, sparks and flame. Use only with adequate ventilation. Avoid contact with skin and eyes.
- Refer to SDS (Safety Data Sheet) for complete information on health and safety. Visit our website at www.dykem.com to obtain an MSDS.



### **PHYSICAL PROPERTIES**

DYKEN

Appearance / Physical State	Varies	
Odor	Aromatic	
Specific Gravity	>1	
VOC Content	21% - 36% by weight	
Flash Point	108°F	
Dry Time	25-30 minutes *Note: Drying time may vary depending on film	

## **AVAILABLE IN**

Units/Case	Color	Marker Tip	Part #
48	black	medium, steel	26033
48	blue	medium, steel	26013
48	green	medium, steel	26043
48	red	medium, steel	26023
48	white	medium, steel	26083
48	yellow	medium, steel	26063

