

Heavy Duty Jobber Length (NAS 907 Type J)

* Sets Available on pg. 234-235


R10CO - Fractional Sizes

R18CO - Wire Gauge Sizes

R15CO - Letter Sizes

2ACO - Metric Sizes

Low thrust design self centering Split Point for easier penetration. Cobalt base material with Bronze tempered for wear resistance & lubricity. For enhanced tool life in ferrous materials



d_1 \varnothing Inch Nr.	d_1 \varnothing letter	d_1 \varnothing mm	d_1 decimal Inch	l_2 Inch	l_2 mm	l_1 Inch	l_1 mm	Pack Qty	R10CO	R18CO	R15CO	2ACO
80			0.0135	1/8	3/4			12	—	1) 5997848	—	—
79			0.0145	1/8	3/4			12	—	1) 5997842	—	—
1/64			0.0156	3/16	3/4			12	5998146	1) —	—	—
78			0.0160	3/16	7/8			12	—	1) 5997840	—	—
77			0.0180	3/16	7/8			12	—	1) 5997837	—	—
76			0.0200	3/16	7/8			12	—	1) 5997831	—	—
75			0.0210	1/4	1"			12	—	1) 5997828	—	—
74			0.0225	1/4	1"			12	—	1) 5997825	—	—
73			0.0240	5/16	1.1/8			12	—	1) 5997822	—	—
72			0.0250	5/16	1.1/8			12	—	1) 5997819	—	—
71			0.0260	3/8	1.1/4			12	—	1) 5997816	—	—
70			0.0280	3/8	1.1/4			12	—	1) 5997813	—	—
69			0.0292	1/2	1.3/8			12	—	1) 5997807	—	—
68			0.0310	1/2	1.3/8			12	—	1) 5997804	—	—
1/32			0.0313	1/2	1.3/8			12	5998139	1) —	—	—
67			0.0320	1/2	1.3/8			12	—	1) 5997798	—	—
66			0.0330	1/2	1.3/8			12	—	1) 5997794	—	—
65			0.0350	5/8	1.1/2			12	—	1) 5997791	—	—
64			0.0360	5/8	1.1/2			12	—	1) 5997787	—	—
63			0.0370	5/8	1.1/2			12	—	1) 5997783	—	—
62			0.0380	5/8	1.1/2			12	—	1) 5997781	—	—
61			0.0390	11/16	1.5/8			12	—	1) 5997779	—	—
	1.00		0.0394		12	34	12	—	—	—	—	5999612
60			0.0400	11/16	1.5/8			12	—	5997776	—	—
59			0.0410	11/16	1.5/8			12	—	5997768	—	—
	1.05	0.0413		12	34	12	—	—	—	—	—	5999614
58			0.0420	11/16	1.5/8			12	—	5997762	—	—
57			0.0430	3/4	1.3/4			12	—	5997758	—	—
	1.10	0.0433		14	36	12	—	—	—	—	—	5999618
	1.15	0.0453		14	36	12	—	—	—	—	—	5999621
3/64			0.0465	3/4	1.3/4			12	5998182	—	—	—
			0.0469	3/4	1.3/4			12	5997753	—	—	—

 1)
No Split Point

d_1 \varnothing Inch	d_1 \varnothing Nr.	d_1 \varnothing letter	d_1 \varnothing mm	decimal Inch	l_2 Inch	l_2 mm	l_1 Inch	l_1 mm	Pack Qty	R10CO	R18CO	R15CO	2ACO
			11.00	0.4331		94		142	6	—	—	—	5999711
7/16				0.4375	4.1/16		5.1/2		6	5998220	—	—	—
			11.20	0.4409		94		142	6	—	—	—	5999714
			11.50	0.4528		94		142	6	—	—	—	5999721
29/64				0.4531	4.3/16		5.5/8		6	5998172	—	—	—
			11.80	0.4646		94		142	6	—	—	—	6000617
15/32				0.4687	4.5/16		5.3/4		6	5998286	—	—	—
			12.00	0.4724		101		151	6	—	—	—	6000665
			12.20	0.4803		101		151	6	—	—	—	6000704
31/64				0.4844	4.3/8		5.7/8		6	5998191	—	—	—
			12.50	0.4921		101		151	6	—	—	—	6000731
1/2				0.5000	4.1/2		6"		6	5998136	—	—	—
			13.00	0.5118		101		151	1	—	—	—	6000756
33/64				0.5156	4.13/16		6.5/8		1	5998195	—	—	—
17/32				0.5313	4.13/16		6.5/8		1	5998298	—	—	—
35/64				0.5469	4.13/16		6.5/8		1	5998198	—	—	—
9/16				0.5625	4.13/16		6.5/8		1	5998228	—	—	—
37/64				0.5781	4.13/16		6.5/8		1	5998201	—	—	—
19/32				0.5937	5.3/16		7.1/8		1	5998305	—	—	—
39/64				0.6094	5.3/16		7.1/8		1	5998203	—	—	—
5/8				0.6250	5.3/16		7.1/8		1	5998217	—	—	—
41/64				0.6406	5.3/16		7.1/8		1	5998205	—	—	—
21/32				0.6563	5.3/16		7.1/8		1	5998152	—	—	—
43/64				0.6719	5.5/8		7.5/8		1	5998207	—	—	—
11/16				0.6875	5.5/8		7.5/8		1	5998158	—	—	—