

COBALT TAPER LENGTH DRILL





Heavy Duty Taper Length

M51CO - Fractional Sizes

M52CO - Wire Gauge Sizes

Low thrust design Heavy Duty self centering Split Point for easier penetration. Cobalt base material with Bronze tempered for wear resistance and lubricity.



d_1 Ø Inch	d_1 Ø Nr.	d_1 decimal Inch	l_2 Inch	l_1 Inch	Pack Qty	M51CO	M52CO
1/16		0.0625	1.3/4	3"	12	5996565	—
5/64		0.0781	2"	3.3/4	12	5996328	—
3/32		0.0938	2.1/4	4.1/4	12	5996444	—
	40	0.0980	2.1/2	4.5/8	12	—	5995712
	39	0.0995	2.1/2	4.5/8	12	—	5995706
	36	0.1065	2.1/2	4.5/8	12	—	5995704
7/64		0.1094	2.1/2	4.5/8	12	5996373	—
	35	0.1100	2.3/4	5.1/8	12	—	5995702
	34	0.1110	2.3/4	5.1/8	12	—	5995701
	33	0.1130	2.3/4	5.1/8	12	—	5995699
	32	0.1160	2.3/4	5.1/8	12	—	5995697
	31	0.1200	2.3/4	5.1/8	12	—	5995695
1/8		0.1250	2.3/4	5.1/8	12	5996577	—
	30	0.1285	3"	5.3/8	12	—	5995693
	29	0.1360	3"	5.3/8	12	—	5995838
	28	0.1405	3"	5.3/8	12	—	5995834
9/64		0.1406	3"	5.3/8	12	5996391	—
	27	0.1440	3"	5.3/8	12	—	5995830
	26	0.1470	3"	5.3/8	12	—	5995827
	25	0.1495	3"	5.3/8	12	—	5995817
	24	0.1520	3"	5.3/8	12	—	5995774
5/32		0.1563	3"	5.3/8	12	5996324	—
	22	0.1570	3.3/8	5.3/4	12	—	5995737
	21	0.1590	3.3/8	5.3/4	12	—	5995710
	20	0.1610	3.3/8	5.3/4	12	—	5995688
	19	0.1660	3.3/8	5.3/4	12	—	5996431
	18	0.1695	3.3/8	5.3/4	12	—	5996427
11/64		0.1719	3.3/8	5.3/4	12	5996586	—
	17	0.1730	3.3/8	5.3/4	12	—	5996425
	16	0.1770	3.3/8	5.3/4	12	—	5996421
	15	0.1800	3.3/8	5.3/4	12	—	5996419
	14	0.1820	3.3/8	5.3/4	12	—	5996416

d ₁ Ø Inch	d ₁ Ø Nr.	d ₁ decimal Inch	l ₂ Inch	l ₁ Inch	Pack Qty	M51CO	M52CO	
3/16	13	0.1850	3.3/8	5.3/4	12	—	5996414	
			0.1875	3.3/8	5.3/4	12	5996440	—
		12	0.1890	3.5/8	6"	12	—	5996411
		11	0.1910	3.5/8	6"	12	—	5996408
		10	0.1935	3.5/8	6"	12	—	5996404
		9	0.1960	3.5/8	6"	12	—	5995720
13/64	8	0.1990	3.5/8	6"	12	—	5995718	
		7	0.2010	3.5/8	6"	12	—	5995716
			0.2031	3.5/8	6"	12	5996596	—
		5	0.2055	3.5/8	6"	12	—	5995714
		4	0.2090	3.5/8	6"	12	—	5995708
		3	0.2130	3.5/8	6"	12	—	5995691
7/32		0.2188	3.5/8	6"	12	5996369	—	
		2	0.2210	3.3/4	6.1/8	12	—	5996437
		1	0.2280	3.3/4	6.1/8	12	—	5996395
15/64		0.2344	3.3/4	6.1/8	12	5996609	—	
1/4		0.2500	3.3/4	6.1/8	12	5996574	—	
17/64		0.2656	3.7/8	6.1/4	6	5996618	—	
9/32		0.2813	3.7/8	6.1/4	6	5996387	—	
19/64		0.2969	4"	6.3/8	6	5996626	—	
5/16		0.3125	4"	6.3/8	6	5996323	—	
21/64		0.3281	4.1/8	6.1/2	6	5996634	—	
11/32		0.3437	4.1/8	6.1/2	6	5996583	—	
23/64		0.3594	4.1/4	6.3/4	6	5996642	—	
3/8		0.3750	4.1/4	6.3/4	6	5996449	—	
25/64		0.3906	4.3/8	7"	6	5996266	—	
13/32		0.4063	4.3/8	7"	6	5996592	—	
27/64		0.4219	4.5/8	7.1/4	6	5996354	—	
7/16		0.4375	4.5/8	7.1/4	6	5996365	—	
29/64		0.4531	4.3/4	7.1/2	6	5996434	—	
15/32		0.4687	4.3/4	7.1/2	6	5996607	—	
31/64		0.4844	4.3/4	7.3/4	6	5996275	—	
1/2		0.5000	4.3/4	7.3/4	6	5996572	—	
33/64		0.5156	4.3/4	8"	1	5996280	¹⁾ —	
17/32		0.5313	4.3/4	8"	1	5996613	¹⁾ —	
35/64		0.5469	4.7/8	8.1/4	1	5996284	¹⁾ —	
9/16		0.5625	4.7/8	8.1/4	1	5996383	¹⁾ —	
37/64		0.5781	4.7/8	8.3/4	1	5996288	¹⁾ —	
19/32		0.5937	4.7/8	8.3/4	1	5996621	¹⁾ —	
39/64		0.6094	4.7/8	8.3/4	1	5996292	¹⁾ —	
5/8		0.6250	4.7/8	8.3/4	1	5996331	¹⁾ —	
41/64		0.6406	5.1/8	9"	1	5996299	¹⁾ —	
21/32		0.6563	5.1/8	9"	1	5996630	¹⁾ —	
43/64		0.6719	5.3/8	9.1/4	1	5996302	¹⁾ —	
11/16		0.6875	5.3/8	9.1/4	1	5996580	¹⁾ —	
45/64		0.7031	5.5/8	9.1/2	1	5996306	¹⁾ —	
23/32		0.7188	5.5/8	9.1/2	1	5996638	¹⁾ —	
47/64		0.7344	5.7/8	9.3/4	1	5996312	¹⁾ —	
3/4		0.7500	5.7/8	9.3/4	1	5996446	¹⁾ —	
49/64		0.7656	6"	9.7/8	1	5996321	¹⁾ —	
25/32		0.7813	6"	9.7/8	1	5996650	¹⁾ —	
51/64		0.7969	6.1/8	10"	1	5996335	¹⁾ —	
13/16		0.8125	6.1/8	10"	1	5996589	¹⁾ —	
53/64		0.8281	6.1/8	10"	1	5996339	¹⁾ —	
27/32		0.8438	6.1/8	10"	1	5996316	¹⁾ —	
55/64		0.8594	6.1/8	10"	1	5996343	¹⁾ —	
7/8		0.8750	6.1/8	10"	1	5996377	¹⁾ —	
57/64		0.8906	6.1/8	10"	1	5996348	¹⁾ —	
29/32		0.9063	6.1/8	10"	1	5996400	¹⁾ —	
59/64		0.9219	6.1/8	10.3/4	1	5996350	¹⁾ —	
15/16		0.9375	6.1/8	10.3/4	1	5996599	¹⁾ —	
61/64		0.9531	6.3/8	11"	1	5996358	¹⁾ —	
31/32		0.9688	6.3/8	11"	1	5996271	¹⁾ —	
63/64		0.9844	6.3/8	11"	1	5996361	¹⁾ —	
1"		1.0000	6.3/8	11"	1	5996560	¹⁾ —	

¹⁾ Notched Point